




CCEA

THE MACHINE LIGHTS COMPANY

DESIGNED, ENGINEERED, AND MANUFACTURED BY CCEA IN ITALY



TRACKALPHA-PRO 24V

321 – 1281 mm
13 – 65 W
1510 - 7550 lm
IP67
24 Vdc



TRACKALPHA-PRO 230V


441 – 1041 mm
19,5 – 52 W
2265 - 6050 lm
IP67
230 Vac



COMPACT-ALPHA

204 - 654 mm
6 - 24 W
550 - 2600 lm
IP67
24 Vdc





TRACKALPHA-PRO



SUBRA

160 mm
6 W
485 lm
IP65, IP67, IP69
24 Vdc



HERIONOVA


329 – 974 mm
26,5 – 93 W
2400 - 8400 lm
IP67
24 Vdc



SYRMA

184 – 664 mm
6,5 – 32,5 W
650 - 3250 lm
IP67, IP69
24 Vdc






SUBRA




MYROS

226 mm
10,5 W
900 lm
IP67
24 Vdc



VEGA


346 – 706 mm
13 – 32,5 W
1300 - 3330 lm
IP67, IP69
24 Vdc



ANTARIO

355 – 1000 mm
26,5 – 93 W
2400 - 8300 lm
IP67
24 Vdc





VEGA



SIRIO-P

40 - 70 mm
3 - 12 W
115 - 630 lm
IP68
24 Vdc, 230 Vac



SIRIO-Q

142 mm
16 W
1450 - 1750 lm
IP67, IP69
12 Vdc, 24 Vdc





SIRIO-BC

169 mm
6 - 12 W
450 - 630 lm
IP67
24 Vdc



SIRIO-BF

600 mm
6 - 12 W
450 - 630 lm
IP67
24 Vdc



SIRIO-BL

750 mm
6 - 12 W
450 - 630 lm
IP67
24 Vdc





LYSAR-BC

163 mm
6 W
455 lm
IP54
24 Vdc



LYSAR-BF

700 mm
6 W
455 lm
IP54
24 Vdc





TEIDE-POWER-S

342 - 1542 mm
10 - 50 W
650 - 3250 lm
IP67
24 Vdc



TEIDE-POWER-Q

342 - 1542 mm
10 - 50 W
800 - 4000 lm
IP54
24 Vdc



TEIDE-ECO

342 - 1542 mm
5 - 25 W
400 - 2000 lm
IP54
24 Vdc





EPSYLON-RGBW

160 - 910 mm
5,5 - 44 W
450 - 3500 lm
IP68
24 Vdc



EPSYLON

265 - 1125 mm
10 - 44 W
875 - 3570 lm
IP68
24 Vdc





EPSYLON-RGBW



MIZAR

390 - 1290 mm
12 - 48 W
1200 - 4800 lm
IP40
24 Vdc, 230 Vac



JOB-BR

835 mm
13 W
1100 lm
IP40
24 Vdc, 230 Vac



BFITMA

700 mm
3 W
110 - 125 lm
IP65
24 Vdc, 230 Vac



WE DON'T JUST MANUFACTURE **LIGHTS**.

WE KNOW THAT EACH **MACHINE TOOL** DEMANDS A **SPECIFIC LIGHTING SOLUTION**.

THAT'S WHERE WE COME IN.

WE ARE THAT SOLUTION.

CCEA. THE MACHINE LIGHT COMPANY.



C.C.E.A. Srl

Via Piave, 2 - 36077 Altavilla Vicentina (VI) - Italy

ccea@ccealights.com

+39 0444 572083

ccealights.com