

SCORPIUS PRO

4000 WARM

Sometimes, you need to go warmer. The Scorpius PRO 4000 WARM arrives to impress. This heavy-duty work light has a color temperature of 3000K, making it a natural choice for those accustomed to working in warmer lighting. For comparison's sake, all other Scorpius PRO work lights come in at 5700K. Thanks to the lower-than-usual color temperature, users of this light will have a clear advantage when working in visually demanding circumstances such as rain, dust, fog, or snow. Made to withstand tough conditions and available in three different light patterns, the Scorpius PRO 4000 WARM comes in at 3800 lm.



Not all products are available in all markets. During continuous improvement specifications and design are changing. All values are nominal values. Illustrations do not necessarily show the design of every version and some features are version specific. The lumens output varies depending on lens colour.

TECHNICAL DATA

Theoretical Lumens Output	6100 lm	Vibration	15.44Grms 10-2000Hz
Operational Lumens Output	3800 lm	Lens	Plastic
Colour Temperature	3000 K	Body / Housing	Aluminum
Nominal Voltage DC	12 - 24 V	Weight	1.1 kg
Input Voltage DC	9 - 32 V	IP Rating	IP68, IP6K9K
Power Consumption	50 W	Salt Spray Test	ISO 9227 240H
Nominal Current at	24V=2.0A, 12V=4.2A	EMC	CISPR 25 Class 5, EN12895, ISO 13766, ISO 14982, ISO 7637-2
Connector	Built-in Deutsch DT-2 (2-pin)	Operating Temperatures	-40°C... +85°C (Overheat protected)
Mount	Single Bolt M10	Part Numbers	Flood: 984-9028, Wide Flood: 984-9027, High Beam: 984-9029
Shock	60G		

CONNECTORS




Built-in Deutsch DT-2 (2-pin)

KEY FEATURES


- 3000 Kelvin for visually demanding conditions
- Scratch-resistant coating
- For harsh conditions

LIGHT PATTERNS


Scorpius PRO 4000 WARM, 3800lm
Wide Flood



Scorpius PRO 4000 WARM, 3800lm
Flood



Scorpius PRO 4000 WARM, 3800lm
High Beam



DRAWINGS

