



PRODUCT-DETAILS

TY253M

CABLE TIE 50LB 11IN NATURAL NYLON



General Information	
Extended Product Type:	TY253M
Product ID:	7TAG009220R0001
EAN:	5414363062295
Catalog Description:	CABLE TIE 50LB 11IN NATURAL NYLON
Long Description:	High Performance Cable Tie for Indoor applications, Natural Color Nylon 6.6, Length of 295mm (11.6 Inches) for Bundle Diameter up to 78mm (3.07 Inches), Width of 4.9mm (0.19 Inches), Tensile Strength Rating of 222 Newtons (50 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 85 Degrees Celsius (185 F), UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Bulk Pack
Display Name:	TY253M

Eco Transparency	
Environmental Product Declaration - EPD:	9AKK108469A9844

Ordering

E-Number (Finland):	1381519
EAN:	5414363062295
UPC:	786210839905
Country or Territory of Origin:	United States
Selling Unit of Measure:	each

Dimensions

Product Net Width:	0.19 in 4.9 mm
Product Net Depth / Length:	11.6 in 295 mm

Container Information

Package Level 1 Units:	1000 EA
Package Level 1 Width:	137.16 mm 5.4 in
Package Level 1 Height:	223.52 mm 8.8 in
Package Level 1 Depth / Length:	426.466 mm 16.79 in
Package Level 2 Units:	5000 EA
Package Level 2 Width:	298.45 mm 11.75 in
Package Level 2 Height:	247.65 mm 9.75 in
Package Level 2 Depth / Length:	508 mm 20 in
Package Level 3 Units:	175000 EA
Package Level 3 Width:	0.025 mm 0.001 in
Package Level 3 Height:	0.025 mm 0.001 in
Package Level 3 Depth / Length:	0.025 mm 0.001 in

Technical UL/CSA

Flammability According to UL94:	V-2
---------------------------------	-----

Additional Information

Brand / Label:	Ty-Rap
Bundle Diameter:	0.12 to 3.07 in 3 to 78 mm

Color:	Natural
Effective Date:	19720620
Lock Type:	Stainless Steel Barb
Material:	Nylon/Polyamide 6.6
Product Name:	Other
Product Type:	High Performance
Special Functions:	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards:	UL E49405
Tensile Strength:	50 lb 222 N
Thickness:	0.05 in 1.3 mm

Certificates and Declarations

Data Sheet, Technical Information:	TDS000518
Declaration of Conformity - CE:	9AKK107492A9841

External Classifications and Standards

ETIM 7:	EC000046 - Cable tie
ETIM 8:	EC000046 - Cable tie
ETIM 9:	EC000046 - Cable tie
ETIM 10:	EC000046 - Cable tie
UNSPSC:	39121703
IDEA Granular Category Code (IGCC):	5034 >> Cable ties

Material Compliance

RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Information:	False - does not contain substances > 0.1 mass percentage
WEEE Category:	Product Not in WEEE Scope

Categories

Products > Low Voltage Products and Systems > Installation Products > Wire Management and Connectivity > Cable Ties

